







S 36/37/39

WEAR SUITABLE PROTECTIVE CLOTHING, GLOVES AND EYE/FACE PROTECTION.

S 45

IN CASE OF ACCIDENT OR IF YOU FEEL UNWELL, SEEK MEDICAL ADVICE IMMEDIATELY (SHOW THE LABEL WHERE POSSIBLE).

REVIEWS, STANDARDS, AND REGULATIONS

OEL=MAK

ACGIH TLV-STEL 10 PPM

DTLVS\* TLV/BEI,1999

ACGIH TLV-TWA 5 PPM

DTLVS\* TLV/BEI,1999

MSHA STANDARD-AIR:TWA 5 PPM (9 MG/M3)

DTLVS\* 3,119,1971

OSHA PEL (GEN INDU):8H TWA 5 PPM (9 MG/M3)

CFRGBR 29,1910.1000,1994

OSHA PEL (CONSTRUC):8H TWA 5 PPM (9 MG/M3)

CFRGBR 29,1926.55,1994

OSHA PEL (SHIPYARD):8H TWA 5 PPM (9 MG/M3)

CFRGBR 29,1915.1000,1993

OSHA PEL (FED CONT):8H TWA 5 PPM (9 MG/M3)

CFRGBR 41,50-204.50,1994

OEL-ARAB REPUBLIC OF EGYPT: TWA 5 PPM (9 MG/M3), JAN1993

OEL-AUSTRALIA: TWA 5 PPM (9 MG/M3), JAN1993

OEL-AUSTRIA: MAK 5 PPM (9 MG/M3), JAN1999

OEL-BELGIUM: TWA 5 PPM (9.4 MG/M3), JAN1993

OEL-DENMARK: TWA 5 PPM (9 MG/M3), JAN1999

OEL-FRANCE: VLE 5 PPM (9 MG/M3), JAN1999

OEL-GERMANYier 10 Tf 72 500 Td /DeviceGray cs 0 sc ( OEL-AUSTRIA: MAK IH/PjCourier